



219 W. 7th St
Concordia, KS 66901

Education
Service Center

Ph: 785-243-4417 Fax 785-243-4457

Light Bulb Catalog

MAIL OR FAX **ALL "OFFLINE"** PURCHASE ORDERS DIRECTLY TO

Smoky Hill Education Service Center
Or Fax: 785-243-4457

Prices are quoted from **March 1, 2010 to February 28, 2011.**

To insure that PO's will arrive to the vendor on time please have PO's to SHESC by **2/26/11.**

Delivery: Date agreed upon by district and vendor

Please include the Item Number (not line no.).

Vendors:

Page 1.

Scott Electric

Mark Troutman
1000 South Main St.
Greensburg, PA 15601
PH: 800-442-8045 x 1505

Page 4.

Voss Lighting

Kenneth Ward
2604 NE Industrial Dr. #100
North Kansas City, MO 64117
PH: 800-755-8677

Mail or Fax to Smoky Hill ESU

There is a minimum order of \$150.00 to qualify for **free** shipping to ONE location.

Please include the "Item No." **and the vendor's product number** on each PO. Bid prices in this catalog are available to all school districts in Kansas. A 2% (of total) administrative fee will be billed to non-Smoky Hill ESC members. Please contact us if you have any concerns.

Janet Weber, Bid Facilitator (jweber@smokyhill.org)

Please Note: Purchase Orders created Online with eSchoolMall can be faxed directly to the vendor.

Catalog Report

Smoky Hill Education Service Center

Catalog Name: Light Bulbs 2010-2011
Report Range: (1 - 85) of 85
Vendor: Scott Electric
Contact Name: Troutman, Mark
Contact Phone: (800)442-8045

Report Requestor: Weber, Janet
Run Date: 02/25/2010 1:57 PM

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Projection Lamp, BVE. Overhead Projection. 600W 120V. LB-62 -- (1 - 1.0000 Each Pack per unit)	Wiko	BVE	12.46		<input type="text"/>
Description:					
Projection Lamp, DYS/DYV. LB-63 -- (1 - 1.0000 Each Pack per unit)	GE	DYS/DYV	2.91		<input type="text"/>
Description:					
Projection Lamp, DYS/DYV/BHC. Overhead Projection. 600W 120V. LB-68 -- (1 - 1.0000 Each Pack per unit)	GE	DYS/DYV/BHC	2.91		<input type="text"/>
Description:					
Projection Lamp, ELH. Slide Projection. 300W 120V. LB-64 -- (1 - 1.0000 Each Pack per unit)	Apollo	ELH	4.30		<input type="text"/>
Description:					
Projection Lamp, ENX. Overhead Projection. 360W 82V. LB-71 -- (1 - 1.0000 Each Pack per unit)	GE	ENX	3.53		<input type="text"/>
Description:					
Projection Lamp, EXR. Slide Projection. 300W 82V. LB-65 -- (1 - 1.0000 Each Pack per unit)	Apollo	EXR	4.20		<input type="text"/>
Description:					
Projection Lamp, EYB. Overhead Projection. 360W 82V. LB-70 -- (1 - 1.0000 Each Pack per unit)	GE	EYB	2.92		<input type="text"/>
Description:					
Projection Lamp, FAL. Overhead Projection and Color Printer. 420W 120V. LB-66 -- (1 - 1.0000 Each Pack per unit)	Wiko	FAL	6.03		<input type="text"/>
Description:					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Projection Lamp, FHS. Overhead Projection and Slide Projection. 300W 82V. LB-67 -- (1 - 1.0000 Each Pack per unit)	GE	FHS	4.50		<input type="text"/>
Description:					
Projection Lamp, FXL. Overhead Projection. 410W 82V. LB-69 -- (1 - 1.0000 Each Pack per unit)	GE	FXL	4.25		<input type="text"/>
Description:					
Projector and Audio Visual, BLC. LB-46 -- (1 - 1.0000 Each Pack per unit)	Wiko	BLC	1.32		<input type="text"/>
Description:					
Projector and Audio Visual, CAL. LB-47 -- (1 - 1.0000 Each Pack per unit)	Sylvania	CAL	12.00		<input type="text"/>
Description:					
Projector and Audio Visual, DAY/DAK. LB-48 -- (1 - 1.0000 Each Pack per unit)	Sylvania	DAY/DAK	12.25		<input type="text"/>
Description:					
Projector and Audio Visual, DRB/DRC. LB-50 -- (1 - 1.0000 Each Pack per unit)	Sylvania	DRB/DRC	12.35		<input type="text"/>
Description:					
Projector and Audio Visual, DRS. LB-51 -- (1 - 1.0000 Each Pack per unit)	GE	DRS	12.60		<input type="text"/>
Description:					
Projector and Audio Visual, DYP. LB-52 -- (1 - 1.0000 Each Pack per unit)	Ushio	DYP	7.00		<input type="text"/>
Description:					
Projector and Audio Visual, DYS/DYV/BHC. LB-53 -- (1 - 1.0000 Each Pack per unit)	GE	DYS/DYV/BHC	2.91		<input type="text"/>
Description:					
Projector and Audio Visual, EHA. LB-54 -- (1 - 1.0000 Each Pack per unit)	GE	EHA	9.20		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description:					
Projector and Audio Visual, ELH. LB-55 -- (1 - 1.0000 Each Pack per unit)	Apollo	ELH	4.30		<input type="text"/>
Description:					
Projector and Audio Visual, EMM/EKS. LB-56 -- (1 - 1.0000 Each Pack per unit)	Sylvania	EMM/EKS	3.40		<input type="text"/>
Description:					
Projector and Audio Visual, ENX. LB-57 -- (1 - 1.0000 Each Pack per unit)	GE	ENX	3.53		<input type="text"/>
Description:					
Projector and Audio Visual, EYB. LB-58 -- (1 - 1.0000 Each Pack per unit)	GE	EYB	2.92		<input type="text"/>
Description:					
Projector and Audio Visual, FAL. LB-59 -- (1 - 1.0000 Each Pack per unit)	Wiko	FAL	6.03		<input type="text"/>
Description:					
Projector and Audio Visual, FCB. LB-60 -- (1 - 1.0000 Each Pack per unit)	Wiko	FCB	6.40		<input type="text"/>
Description:					
Projector and Audio Visual, FHS. LB-61 -- (1 - 1.0000 Each Pack per unit)	GE	FHS	4.50		<input type="text"/>
Description:					

Vendor: Voss Lighting
Contact Name: Ward, Ken
Contact Phone: (800)755-8677

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Ballast, 120 volts, for two 22 or 32 lamps. LB-1 -- (1 - 1.0000 Each Pack per unit) Description:	ADVANCE	SAME	35.16		<input type="text"/>
Ballast, 120 volts, for two 40 watt, Rapid Start, 60 cycle. LB-2 -- (1 - 1.0000 Each Pack per unit) Description:	ADVANCE	SAME	10.92		<input type="text"/>
Ballast, 120 volts, for two 60, 72, 84', or 96, Lamps. LB-3 -- (1 - 1.0000 Each Pack per unit) Description:	ADVANCE	SAME	21.24		<input type="text"/>
Ballast, 120volts, watt reducer 34 wat, Rapid Start. LB-4 -- (1 - 1.0000 Each Pack per unit) Description:	ADVANCE	SAME	10.92		<input type="text"/>
Ballast, Advance, REL-4P32-SC (for T-8bulb fixtues). LB-N1 -- (1 - 1.0000 Each Pack per unit) Description:	Advance	SAME	12.50		<input type="text"/>
Ballast, PHLMH, 175 watt, BT 26, Mogul Base. LB-62A -- (1 - 1.0000 Each Pack per unit) Description:	ADVANCE	SAME	40.29		<input type="text"/>
Ballast, Sylvania, QT 4 x 32 T8/120 ISN-SC. LB-N2 -- (1 - 1.0000 Each Pack per unit) Description: Vendor Notes: We are quoting advance brand for this item	Sylvania	SAME	12.50		<input type="text"/>
Emergency Lighting Equipment, EXIT sign with remote capabilities. LB-73 -- (1 - 1.0000 Each Purchase per unit) Description: Emergency Lighting Equipment, Polycarbonate combination LED emergency EXIT sign with remote capabilities. Damp location rated. 6 volt, 5.4 watt high intensity tungsten (H.I.T.) lamps. 11 watts. Black or white finish. J-box mounting, 120/277 VAC dual input. Meets ADA fixture requirements. 6" letter with a 3/4" stroke.	Exitronix	SAME	47.84		<input type="text"/>
Emergency Lighting Unit, damp location rated. Universal J-box mounting. 120/277 VAC operation. LB-72 -- (1 - 1.0000 Each Purchase per unit)	Exitronix	SAME	19.25		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Emergency Lighting Unit, thermoplastic, damp location rated. Universal J-box mounting. 120/277 VAC operation. Fully adjustable 5.4 watt. AC lockout, overload/short circuit protection. ETL listed					
Flourescent, 215 watts, T-12 bulb, 96 nominal length. LB-15 -- (1 - 15.0000 Count Case per unit)	PHILIPS	34234	79.35		<input type="text"/>
Description: Flourescent, 215 watts, T-12 bulb, 96 nominal length, recessed D.C. Base, Cool White, very high output.					
Flourescent, 22 watts, T-9 Bulb, 8 nominal length, 4 pin base, Cricline, Cool White. LB-5 -- (1 - 12.0000 Count Case per unit)	PHILIPS	39116	26.28		<input type="text"/>
Description:					
Flourescent, 32 watts, T-8 Bulb, 48 nominal length, medium Bipin Base. LB-6 -- (1 - 25.0000 Count Case per unit)	PHILIPS	27249	25.50		<input type="text"/>
Description:					
Flourescent, 32 watts, T-8 Bulb, 48 nominal length, medium Bipin Base. LB-7 -- (1 - 25.0000 Count Case per unit)	PHILIPS	27248	25.50		<input type="text"/>
Description:					
Flourescent, 32 watts, T-9 Bulb, 12 nominal length, 4 Pin Base, Circline, Cool White. LB-8 -- (1 - 12.0000 Count Case per unit)	PHILIPS	39117	29.04		<input type="text"/>
Description:					
Flourescent, 34 watts, T-12 Bulb, 22.5 nominal length, med Bipin base, U Shape. LB-9 -- (1 - 12.0000 Count Case per unit)	PHILIPS	37863	47.76		<input type="text"/>
Description: Flourescent, 34 watts, T-12 Bulb, 22.5 nominal length, medium Bipin base, U Shaped lamp, 6 leg spacing, cool white, energy saver.					
Flourescent, 34 watts, T-12 bulb, 48 nominal length, med. bipin base. LB-12 -- (1 - 30.0000 Count Case per unit)	PHILIPS	14254	51.90		<input type="text"/>
Description: Flourescent, 34 watts, T-12 bulb, 48 nominal length, medium Bipin base, Lite White, energy saver.					
Flourescent, 34 watts, T-12 bulb, 48 nominal length, Medium bipin base. LB-10 -- (1 - 30.0000 Count Case per unit)	PHILIPS	24470	22.80		<input type="text"/>
Description: Flourescent, 34 watts, T-12 bulb, 48 nominal length, Medium bipin base, cool white, energy saver.					
Flourescent, 34 watts, T-12 bulb, 48 nominal length, medium bipin base. LB-11 -- (1 - 30.0000 Count Case per unit)	PHILIPS	14255	51.90		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Fluorescent, 34 watts, T-12 bulb, 48 nominal length, medium bipin base, deluxe cool white, energy saver.					
Fluorescent, 60 watts, T-12 bulb, 96 nominal length. LB-13 -- (1 - 15.0000 Count Case per unit)	PHILIPS	25840	33.75		<input type="text"/>
Description: Fluorescent, 60 watts, T-12 bulb, 96 nominal length, single pin base, Cool White, energy saver.					
Fluorescent, 95 watts, T-12 Bulb, 96 nominal length, recessed D.C. LB-14 -- (1 - 15.0000 Count Case per unit)	PHILIPS	26660	40.35		<input type="text"/>
Description: Fluorescent, 95 watts, T-12 Bulb, 96 nominal length, recessed D.C. Base, Cool White, high output bulb, energy saver.					
Fluorescent, 32W, Double Pin, 48", LB-N4 -- (1 - 25.0000 Each Case per unit)	Philips	27248	25.50		<input type="text"/>
Description: Fluorescent, 32W, Double Pin, 48", F32T8/TL741 - Philips. Base Type: Medium BI Pin. LB-N4					
Fluorescent, 59W, Single Pin, 96". LB-N6 -- (1 - 24.0000 Each Case per unit)	Philips	23682	125.75		<input type="text"/>
Description: Fluorescent, 59W, Single Pin, 96", F96T8/TL741 - Philips. Base Type: Slimline, single pin. LB-N6					
Fluorescent, 60W, Single Pin, 96", Single Pin. LB-N5 -- (1 - 15.0000 Each Case per unit)	Phillips	25840	33.75		<input type="text"/>
Description: Fluorescent, 60W, Single Pin, 96" F96T12/CW/EW - Phillips.					
Fluorescent, 60W, Single Pin, 96". LB-N5 -- (1 - 15.0000 Each Case per unit)	Philips	25840	33.75		<input type="text"/>
Description: Fluorescent, 60W, Single Pin, 96" F96T12/CW/EW - Phillips.					
Fluorescent, Mini-Deco Twister. ELMDT13W. LB-74 -- (1 - 6.0000 Each Pack per unit)	Philips	15638	10.26		<input type="text"/>
Description: THE 15 WATT IS NO LONGER MADE - IT IS NOW A 13 WATT. PHILIPS ELMDT13W					
Fluorescent, Universal T8, LB-76 -- (1 - 25.0000 Each Pack per unit)	Philips	36829	50.75		<input type="text"/>
Description: Fluorescent, Philips Universal T8, Product #36829-0. F25T8/TL741/ALTO. 36 Inches. Description TL 741, 4100K.					
Fluorescent, Universal T8. LB-75 -- (1 - 25.0000 Each Pack per unit)	Philips	36828	50.75		<input type="text"/>
Description: Fluorescent, Philips Universal T8, Product # 36828-2. F25T8/TL735/ALTO. 36 Inches. Description TL 735, 3500K.					
H.I.D. ED-18 Mog. LB-77 -- (1 - 12.0000 Each Pack per unit)	Philips	36881	100.68		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: H.I.D. Philips, ED-18 Mog. C400S51/ALTO. G, s (360M 373, 376) LCL (in) 5 3/4, MOL (in) 9 3/4.					
H.I.D., 400 watts, BT-37bulb, Mog, base, clear and blacklight, standard mercury. LB-16 -- (1 - 6.0000 Count Case per unit)	PHILIPS	24842	58.80		<input type="text"/>
Description:					
H.I.D., 400 watts, BT-37bulb, Mogul base, clear univ, burn, metal halide. LB-17 -- (1 - 6.0000 Count Case per unit)	PHILIPS	34415	57.30		<input type="text"/>
Description:					
Incandescent, 100 watts, A-19 bulb, medium base, 120 volts, inside frost. LB-33 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37474	11.52		<input type="text"/>
Description:					
Incandescent, 100 watts, A-19 bulb, medium base, 130 volts, clear. LB-34 -- (1 - 120.0000 Count Case per unit)	PHILIPS	37527	29.28		<input type="text"/>
Description:					
Incandescent, 100 watts, A-19 bulb, medium base, 130 volts, inside frost, 48 in a case, 100A. LB-35 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37476	14.88		<input type="text"/>
Description:					
Incandescent, 11 watts, S-14 bulb, medium base, 130 volts, clear, ruggedized. LB-19 -- (1 - 24.0000 Count Case per unit)	PHILIPS	13830	15.12		<input type="text"/>
Description:					
Incandescent, 15 watts, A-15 bulb, medium base 130 volts, inside frost. LB-20 -- (1 - 120.0000 Count Case per unit)	PHILIPS	14586	51.60		<input type="text"/>
Description: Vendor Notes: PHILIPS ARE 60 PIECES PER CASE. BID PRICE REFLECTS 2 CASES.					
Incandescent, 150 watts, A-21 bulb, medium base, 130 volts, clear. LB-36 -- (1 - 60.0000 Count Case per unit)	PHILIPS	37418	37.80		<input type="text"/>
Description:					
Incandescent, 150 watts, A-23 bulb, medium base, 120 volts, inside frost, rough service. LB-38 -- (1 - 60.0000 Count Case per unit)	PHILIPS	27578	102.60		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description:					
Incandescent, 150 watts, A-23 bulb, medium base, 120 volts, inside frost. LB-37 -- (1 - 60.0000 Count Case per unit)	PHILIPS	28172	41.40		<input type="text"/>
Description:					
Incandescent, 20 watts, T-61/2 bulb, D.C. Bay Base, 120 volts, exit lamp, inside frost. LB-21 -- (1 - 24.0000 Count Case per unit)	PHILIPS	24839	40.32		<input type="text"/>
Description:					
Incandescent, 20 watts, T-61/2 bulb, inter, base, 120 volts, exit lamp, inside frost. LB-22 -- (1 - 24.0000 Count Case per unit)	PHILIPS	24853	33.60		<input type="text"/>
Description:					
Incandescent, 200 watts, A-21 bulb, medium base, 130 volts, clear. LB-39 -- (1 - 60.0000 Count Case per unit)	PHILIPS	37427	45.00		<input type="text"/>
Description:					
Incandescent, 25 watts, I-19 bulb, medium base, 120 volts, clear. LB-23 -- (1 - 48.0000 Count Case per unit)	PHILIPS	25569	20.16		<input type="text"/>
Description:					
Incandescent, 300 watts, PS-30 bulb, medium base, 130 volts, clear. LB-40 -- (1 - 60.0000 Count Case per unit)	PHILIPS	14306	88.20		<input type="text"/>
Description:					
Incandescent, 300 watts, PS-30 bulb, medium base, 130 volts, inside frost. LB-41 -- (1 - 60.0000 Count Case per unit)	PHILIPS	14307	115.80		<input type="text"/>
Description:					
Incandescent, 300 watts, PS-35 bulb, mogul base, 130 volts, inside frost. LB-42 -- (1 - 24.0000 Count Case per unit)	PHILIPS	14316	44.40		<input type="text"/>
Description:					
Vendor Notes: PHILIPS ARE 12 PIECES PER CASE. BID PRICE REFLECTS 2 CASES.					
Incandescent, 300 watts, PS-35 bulb, mogul base, 130 volts, inside frost. LB-43 -- (1 - 24.0000 Count Case per unit)	PHILIPS	14316	44.40		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Vendor Notes: PHILIPS ARE 12 PIECES PER CASE. BID PRICE REFLECTS 2 CASES.					
Incandescent, 50 watts, A-19 bulb, medium base, 130 volts, inside frost. LB-24 -- (1 - 120.0000 Count Case per unit)	PHILIPS	37403	103.20		<input type="text"/>
Description:					
Incandescent, 500 watts, PS-35 bulb, mogul base, 130 volts, clear. LB-44 -- (1 - 24.0000 Count Case per unit)	PHILIPS	14407	77.76		<input type="text"/>
Description:					
Incandescent, 500 watts, PS-35 bulb, mogul base, 130 volts, inside frost. LB-45 -- (1 - 24.0000 Count Case per unit)	PHILIPS	14313	91.44		<input type="text"/>
Description:					
Incandescent, 52 watts, A-19 bulb, mdium base, 120 volts, extended life or rough service. LB-25 -- (1 - 48.0000 Count Case per unit)	PHILIPS	14999	21.60		<input type="text"/>
Description:					
Incandescent, 52 watts, A-19 bulb, mdium base, 120 volts, extended life or rough service. LB-26 -- (1 - 48.0000 Count Case per unit)	PHILIPS	14999	21.60		<input type="text"/>
Description:					
Incandescent, 60 watts, A-19 bulb, medium base, 130 volts, inside frost. LB-27 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37471	14.88		<input type="text"/>
Description:					
Incandescent, 67 watts. A-19 bulb, medium base, 120 volts, extended life or rough service. LB-28 -- (1 - 48.0000 Count Case per unit)	PHILIPS	15000	23.04		<input type="text"/>
Description:					
Incandescent, 7 1/2 watts, S-11 bulb, medium base 130 volts, clear. LB-18 -- (1 - 24.0000 Count Case per unit)	PHILIPS	24811	10.56		<input type="text"/>
Description:					
Incandescent, 75 watts, A-19 bulb, medium base, 120 volts, inside frost. LB-29 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37472	11.52		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description:					
Incandescent, 75 watts, A-19 bulb, medium base, 130 volts, clear. LB-30 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37525	28.80		<input type="text"/>
Description:					
Incandescent, 75 watts, A-19 bulb, medium base, 130 volts, inside frost. LB-31 -- (1 - 48.0000 Count Case per unit)	PHILIPS	37473	14.88		<input type="text"/>
Description:					
Incandescent, 90 watts, A-19 bulb, medium base, 120 volts, extended life or rough service. LB-32 -- (1 - 48.0000 Count Case per unit)	PHILIPS	15001	22.56		<input type="text"/>
Description:					
Incandescent, D.C. Bay, Frost Exit Sign. LB-78 -- (1 - 24.0000 Each Pack per unit)	Philips	24839	40.32		<input type="text"/>
Description: Incandescent, Philips, Product # 24839-3, D.C. Bay, 20T6-1/2DC/IF, Frost Exit Sign. MOL (in) 5 1/2.					
METAL HALIDE LAMP, 175 W. LB-N3 -- (1 - 1.0000 Each Pack per unit)	PHILIPS	28733	9.55		<input type="text"/>
Description: METAL HALIDE LAMP, 175 W; SHAPE DESIGNATION ED28; MOGUL BASE; CLEAR; ANSI CODE/BALLAST M57; INITIAL INTENSITY 13500 LUMEN; COLOR RENDERING INDEX 65; COLOR TEMPERATURE 4000 K; OPERATING POSITION UNIVERSAL; OVERALL LENGTH 8-5/16 INCH; LIFE 10000					